
SALES AND PURCHASE ORDER PROCESSING



PROJECT REPORT

Submitted By

M. KARTHIKEYAN

V.P. SIVAKUMAR

M.P. SIVAPRAKASH

Under the Suidance of

MS. N. RAJATHI, B.E.

IN PARTIAL FULFILMENT OF THE REQUIREMENTS

FOR THE AWARD OF THE DEGREE OF

BACHELOR OF SCIENCE IN

APPLIED SCIENCE - COMPUTER TECHNOLOGY

OF THE BHARATHIAR UNIVERSITY, COIMBATORE.

Department of Computer Science and Engineering

Kumaraguru College of Technology

Coimbatore - 641 006.

KUMARAGURU COLLEGE OF TECHNOLOGY COIMBATORE – 641 006

DEPARTMENT

OF

COMPUTER TECHNOLOGY & APPLICATIONS

Certificate

This is to certify that the project titled Sales & Purchase Management System a bonafide work done by M.Karthikeyan (9727Q0020), V.P.Sivakumar (9727Q0038), M.P.Sivaprakash (9727Q0040), in partial fulfillment of the requirements for the award of the Degree of BACHELOR OF SCIENCE IN APPLIED SCIENCES - COMPUTER TECHNOLOGY of Bharathiar University.

Head of the Department,	Internal Guide
Submitted for the University Examination held on	27/3/200
Internal Examiner	External Examiner

Phone: 440918 Fax: 0422-445688



DHEEPSEELAA MOTORS

Authorised Dealer for Kinetic Honds 436, METTUPALAYAM ROAD COIMBATORE-841 043

Date : 24.03.2000 Coimbatore

TO WHOMSOEVER IT MAY CONCERN

This is to certify that M.Karthikeyan, V.P.Sivakumar, & M.P.Sivaprakash has completed their project work for Dheepseelaa Motors, tittled SALES AND PURCHASE ORDER Processing using MS ACCESS as backend and Visual Basic 6.0 as frontend.

For DHEEPSEELAA MOTORS,

PARTNER.

ACKNOWLEDGEMENT

It takes great pleasure to thank those who have been of direct and indirect help to us in this project work.

First of all we would like to thank the almighty without whose grace and blessings this project would not have been successfully completed. We would like to thank our parents for her great deal of moral support. We would like to thank Mr S. Thangavel, Partner of DheepSeelaa Motors for encouraging us to take up this project and for helping in its successful completion.

Our gratitude is to **Dr K. K. Padmanabhan** B. Sc., (Engg), M. Tech., Ph.D., Principal for granting us permission for doing this project.

We would like to thank Head of the Department Prof Dr S. Thangaswamy B.E (Hons), Ph.D., for his kindness and for allowing us to carry on with this project. We would like to thank our internal guide Ms N. Rajathi, BE, for her enlivening guidance through out this project & our class advisor Mr S. Andrews M. Sc., for his kind help to complete this project.

Last but not least we would also like to thank all our beloved friends who encouraged us to carry this project successfully.

SYNOPSIS

Purchasing of raw materials and supplying of finished goods is the most important activity in any business or industrial organization. While buying the substantial parts form their vendors and enhancing credit facilities to their clients the companies finance is committed. So it is necessary to develop a system that could maintain sales of finished goods. The system is very useful for easy maintenance of the sales & purchase of the company.

The project fully goes through the various processes that are undertaken to manage the organization and a detail study is done from the data acquired and information gathered. The new system is being developed as per the demands of the organization and end-user requirements needs.

The project entitled Sales & Purchase Management is developed using MSAccess as back end and Visual Basic 6.0 as its front-end tools.

This project is based on the concept of Graphical User Interface (GUI). The project is done for DheepSeelaa Motors, authorized distributors for Kinetic Honda sales & service. The new system is designed to over come the problems in the organizations without giving raise to ambiguity. The new system is designed to be operated in a healthy computer environment with the system being user friendly and guiding the user at each step.

CONTENTS

1. INTRODUCTION

- > Purpose.
- > Scope.
- > References.
- > Overview of the document.
- 2. GENERAL DESCRIPTION.
- 3. SPECIFIC REQUIREMENTS.

FUNCTIONAL REQUIREMENTS.

- Database Design.
- Inputs Design
- Information processing required.
- List of Outputs

PERFORMANCE REQUIREMENTS.

- ❖ Security.
- * Response time

DESIGN CONSTRAINTS.

- ❖ The proposed system.
- * Hardware Environment
- ❖ Software Environment.
- 4. PROGRAM CODES.
- 5. OUTPUTS.
- 6. CONCLUSION.
- 7. APPENDIX.
- 8. BIBLIOGRAPHY.

INTRODUCTION

PURPOSE

The purpose of this project is to computerize the Sales & Purchase system of DheepSeelaa Motors, Coimbatore. Dheepseela Motors is incorporated in the year 1990 for the sales & service of Kinetic Honda & its spare parts. The company is well equipped with the materials needed for the sales & service of the vehicles. The company is located in the center of the city. The company has two computers to maintain the daily transactions.

The organization's present operations can be divided in a three divisions viz.,

- > Vehicles sales.
- > Spare Parts sales.
- > Vehicle service.

SCOPE

This project is mainly an updation of the previous existing system & to maintain easy & user friendly transaction using computers. This project is uses the Oracle as Backend & Visual Basic 6.0 as front-end. Further the previous system is coded in FoxPro & it does not support many flexible options as supported by Visual Basic. This project involves the preparation of the invoices


for every sales item & correspondingly the stock is updated in the inventory. The reports are generated for the necessary items & the purchase system is also done. The inventory is maintained in the tables in a database.

REFERENCES

For this project the code of the previous system is referred and the defects are observed. Further for this project the design is first made and referred & necessary changes are made. For this project a detail observation & system study was made in Dheepseelaa Motors and the necessary requirements were added in the design. Further considerations are made with the authorities in the organisation and the necessary details were obtained.

OVERVIEW OF THE DOCUMENT

This project documentation is designed such that every detail is included in the documentation so that the readers get a good idea of the project. Care is also taken to ensure a clean understanding of the working of the project. The documentation is also enclosed with the necessary output printouts so that the readers can get a clear picture about the project. Some flowcharts are also shown to get a clean pictorial view of the project.



GENERAL DESCRIPTION

GENERAL DESCRIPTION

This project is done to maintain the Sales & Purchase transactions of Dheepseelaa Motors in a user friendly & easy way. The project is made using the Backend tool Oracle in which the database tables are maintained. The frontend is done with the help of Visual Basic 6.0 by which the forms are designed. The transactions are done at the front-end and the updations in the tables are done at the backend. The invoices are entered and the corresponding transactions are made automatically at the database tables.

The system study is done in a detailed way in the organisation and the necessary references are done at the previous existing system and the further references are made with the authorities and the design is first made. This design is converted in to code.

An overview of the project is shown below:


- > System Study of the requirements.
- > References of the studies made.
- > A rough design of the system.
- > Testing of the design through the operations.
- > Making the necessary changes in the design.
- > Obtaining the finalized design.
- ➤ Coding the project using the software selected.

 (Visual Basic with MS Access).
- > Testing of the system.
- > Implementing the system.
- > Documenting the project.

SPECIFIC REQUIREMENTS

Any information system which may be complicated needs to be well designed and prepared errorless to the maximum possible level. For this purpose some specific requirements are needed that plays a major role in the design of the system . Some of the most demanding needs are flowchart by which we get a better idea of the project & database which serves to be the backbone of the system.

Flow chart



DATABASE DESIGN

The overall objective in the development of database has been to treat the whole database as one. Database management allows the data to be protected and organized separately from other resource. Defining the term database is difficult. It is defined as an integrated collection of data.

- Determine the purpose of the database.
- Determine the tables needed in the database.
- Determine the fields needed in the tables.
- Identify the fields with unique values.
- Determine the relationship with tables.
- Refine design.

DATABASE OBJECTIVE:

The organization of data in a database aims to achieve two major objectives:

- 1.Data Integration.
- 2.Data Integrity

DATA INTEGRATION:

Within same computer system, reports or analysis referencing the same logical information are inconsistent owing to the difference in duplicated physical data. This could for example occur when the changes are made to one file but not to a copy of the same data in another file or table, one way to solve the problem is to ensure that when the field is updated, all the other copies of that field are updated at the same time. This becomes difficult when the copies of the field are held in separate files, which are used by separate programs. Another way to solve this problem is to store all data in one place and allow each application to access it. This leads to more consistent information. This also leads to less data redundancy.

DATA INTEGRITY:

Centralized control can also ensure that at adequate checks are incorporated in to the database to provide data integrity. Data integrity means that

data contained in the database must be accurate and consistent to achieve this data should be in normal form.

NORMALIZATION:

Normalization is the process of simplifying the relationship between data elements in a record. Through normalization a collection of data in a record structure is replaced by successive record structure that are simpler and more manageable.

Normalization is carried out for the following reasons:

- To structure the data so that pertinent relationship between the entities can be represented
- To permit simple retrial of data in response to query and report requests
- To simplify the maintenance of the database through update, insertions and deletions.
- To reduce the need to restructure and organize data when new application requirement arise

Steps Involved In Normalization

- Decompose all the data groups in to two-dimensional record.
- Eliminate any relationship in which data elements do fully depend on the primary key of the record.
- Eliminate any relationship that contains transitive dependencies.

First Normal Form

First normal form is achieved when all the repeating groups so that record is of fixed length. A repeating group, the reoccurrence of data is actually another relation. It is removed from the record and treated as an additional record structure or relation.

Second Normal Form:

Second normal form is achieved when a table is in the first normal form and each field is fully dependent on the primary record key for identification. In other words, a field is functionally dependent if the value is uniquely associated with the specified data item (Primary Key)

Third Normal Form:

The third normal form is achieved when transitive dependencies are removed from a record design.

Tables Used:

Vehicle Master:

Field Name	Field Type	Description
Name	Character	Name of the vehicle.
Model	Character	Model of the vehicle.
Color	Character	Color of the vehicle.
Engine No.	Character	Engine Number
Frame No.	Character	Frame Number.
Key No.	Character	Key Number.
Pricebt	Number	Price before tax.
Salest	Number	Sales tax.
Hande	Number	Handling charges.
Total	Number	Total Amount.
Priceat	Number	Price after tax.

Parts:

FieldName	Field Type	Description
Partno	Character	Partnumber
Partdes	Character	PartDescription
Rate	Number	Rate
Tax	Number	Tax

Service:

Field Name	Field Type	Description
Serno	Character	Service Number
Serdes	Character	Service Description
Rate	Number	Rate



Parts Invoice & Service Invoice:

Field Name	Field Type	Description
Invno	Number	Invoice Number
Pidate	Date	Invoice Date
Partno/serno	Character	Partnumber
Oty	Number	Quantity.

Stock Status:

Field Name	Field Type	Description
Ob	Number	Opening Balance
Cb	Number	Closing Balance
Reorder	Number	Reorder Level
Stock in hand	Number	Stock in order
Model	Character	Model

INPUT DESIGN

Input design is a part of overall system design, which requires very careful attention. Often the collection of input data is the most extensive part of the system, in terms of both the equipment used and number of people involved. It is the point of most contact for the users with the computer system and is prone to error. So measures are to be taken the possible objectives like

- To achieve the highest level of accuracy
- To ensure that the input is acceptable and understandable by the operational staff.

Error Avoidance:

Every effort is taken to ensure that input data remains accurate from that stage at which it is recorded and documented to stage at which it is accepted by the computer.

Data Validation:

Computer input procedure is also designed to detect errors in the data at lower level. The validation procedure is designed to check record, Data, item or field against certain criteria specified in the system specifications.

The following were the guidelines strictly followed while developing all the input screens of the system.

- Clearly identify the screen and it's purpose.
- Easy to use
- Ample writing space for inserting the data
- Ensure meaningful error message
- Permit easy reversal on most actions
- Use of menus to provide choice information

In the project Sales and Purchase Management, the Input data is entered through the keyboard. Validation checks are done for input and data error messages are displayed instantly.

All the input data are saved only after the user presses SAVE button. If we want to quit the program, EXIT option is given in main Menu and Menu is shown on all the forms. Similar facilities like ADDING, MODIFYING, DELETE, VIEW are given in the separate forms like entry form, edit form & view form.

Forms Used For input

- VEHICLES ENTRY FORM
- SPAREPARTS ENTRY FORM
- SERVICE ENTRY FORM

INFORMATION PROCESSING REQUIRED

The information is processed according to the input given by the user. In the invoice form the input is given as the name of the customer, bill no, serial number Item number, item description and quantity. These inputs are required either from the user or the database table. The amount is calculated using the price per item & the quantity. The total amount is calculated inclusive of all the taxes & other formalities automatically. Then after confirmation the details of this invoice bill is stored in the database. Similarly for the service division the inputs are obtained as the bill no, serial number, service description etc. Then the corresponding calculation is done using the above inputs and the details are stored in the corresponding database table after confirming.

Similarly the input & transaction for the other sales item is also done and the details are stored in the database table. I any new product is introduced (eg. New model of the vehicle or new spare parts) then the item is included in the database using the corresponding entry form. The updation of such items as the tax, item prices etc the updation is done using the corresponding edit form. The transaction or description is viewed using a corresponding view form.

The stocks are maintained in a database table and if any product is consumed the stock is updated correspondingly. If the stock is below the reorder

level a message is generated indicating the stock's current status & prompts the user to update the same. The final output is viewed through reports.

LIST OF OUTPUTS

After obtaining the inputs and the corresponding transaction is done the output is generated. The intermediate outputs are generated using the view forms in which the transactions are viewed and checked for any correction. This view is included in all the invoice entries. The edit form also serves as the output for viewing the prices of all the items and taxes.

The final output is generated using the Reports. The reports use the database tables after the transactions. Totally six reports are generated for submission. It will show the status of the organization for the particular time period and the reports are:

- > Vehicle annual sales.
- > Spare parts annual sales.
- > Annual service details.
- > Vehicle monthly sales.
- > Spare parts monthly sales.
- Monthly service details.
- > Printing the bills for invoice for service, sales, parts.

PERFORMANCE REQUIREMENTS

While designing an information system some areas have to be considered as important. They are as follows.

SECURITY

During maintaining an information system care has to be taken in the security of the system. This avoids the unwanted usage of the system. With out security a system cannot be maintained successfully because some unwanted persons or inexperienced persons can collapse the whole system. So for the security purpose the password entry is given.

RESPONSE TIME

In every information system time plays a major factor of work and it is the time factor and easiness that the system is implemented. The system in turn should be faster to all the actions performed by the user. It is achieved up to the maximum level. Care is also taken to perform the best operation in the minimum number of code and which in turn yield less time consuming.

DESIGN CONTRAINTS

THE PROPOSED SYSTEM

The new system is designed to overcome the problem in the organization without giving rise to any ambiguity. The new system is designed to be operated in conversional computer environment with the system guiding the user at each step.

GOALS OF THE PROPOSED SYSTEM

The goals of the proposed system are

- > The new system should be flexible enough to undergo future modification.
- > The new system should provide data consistency and integrity so that the data at any time represents the current status and values.
- > The system should provide better security and control over data.
- > Transforming the organization's manual entry of raw materials and finished goods into the Client / Server environment with graphical user interface.

HARDWARE ENVIRONMENT:

The system is designed to meet the requirements of the hardware. The hardware upon which this project in implemented is as follows:

- ❖ Pentium 266 MHz,
- ❖ 8.2 GB Harddisk
- ❖ 64 MB SD RAM.
- ❖ 3.5 inches Floppy Drive.
- ❖ 32 x Multimedia Kit.
- ❖ Colour Monitor(15 inches)
- ❖ Dot Matrix Printer(TVS MSP 345)
- ❖ Deskjet Printer (HP 695 Cci)

SOFTWARE ENVIRONMENT

The system in which the project is developed & implemented uses the following softwares:

- ❖ Windows 98 Plus
- ❖ MS DOS.
- ❖ MS OFFICE.

The selection of appropriate software plays a major role in the successful operation and implementation of any system. The features of the software should be on the par with the requirements of any proposed system.

A comparative study was made for the selection of MS Access 97 Database and the following advantages are identified.

- > User Friendly.
- > On-line back up facility.
- > High interactive with Visual Basic 6.0.
- > Easy maintenance of the database.
- > Easy updation of values.

Hence MS Access 97 database was selected as the backend for the new system.

The front-end tool is selected to be Visual Basic 6.0. A comparative study about Visual Basic 6.0 is made and the following points are observed.

- > Easy Designing of forms and flexible coding.
- > Easy use of controls such as buttons, lists boxes etc.
- > High interaction with the database.
- > Facility of good output generation (Reports).

Hence Visual Basic 6.0 was selected as front-end tool.

PROGRAM CODES

Private Sub MDIForm_Load()
Form1.Show
End Sub

Private Sub MNUE_Click() End End Sub

Private Sub MNUIVIEW_Click(Index As Integer)
Unload Me
Form17.Show
End Sub

Private Sub MNUMKE_Click(Index As Integer)
Unload Me
master_kh_entry.Show
End Sub

Private Sub MNUMKED_Click(Index As Integer)
Unload Me
edit_vehicle.Show
End Sub

Private Sub MNUMKV_Click(Index As Integer)
Unload Me
view_vehicle.Show
End Sub

Private Sub MNUMSE_Click(Index As Integer)
Unload Me
master_service_entry.Show
End Sub

Private Sub MNUMSED_Click(Index As Integer) Unload Me edit_service.Show End Sub

Private Sub MNUMSPE_Click(Index As Integer)
Unload Me
master_parts_entry.Show
End Sub

Private Sub MNUMSPED_Click(Index As Integer) Unload Me

edit_parts.Show End Sub

Private Sub MNUMSPV_Click(Index As Integer)
Unload Me
view_parts.Show
End Sub

Private Sub MNUMSV_Click(Index As Integer)
Unload Me
view_service.Show
End Sub

Private Sub MNUPI_Click(Index As Integer)
Unload Me
INVOICE_SPAREPARTS.Show
End Sub

Private Sub MNUSI_Click(Index As Integer)
Unload Me
invoice_service.Show
End Sub

Private Sub MNUSP_Click() Unload Me stocks_parts.Show End Sub

Private Sub MNUSV_Click(Index As Integer)
Unload Me
stocks_vehicle.Show
End Sub

Private Sub MNUVI_Click(Index As Integer)
Unload Me
invoice_vehicle.Show
End Sub

Dim sql As String Dim cn As ADODB.Connection Dim rs As ADODB.Recordset Dim cmd As String

Private Sub Command4_Click() Unload Me

```
End Sub
Private Sub Combol_Click()
sql1 = "select partdes,rate,tax,supplier from parts where partno="" + Combol.Text +
Dim sql1 As String
Set rs = New ADODB.Recordset
With rs
.Open sql1, cn, adOpenDynamic, adLockPessimistic
Text1 Text = rs("supplier")
Text2.Text = rs("partdes")
 Text3.Text = rs("rate")
 Text4.Text = rs("tax")
 End With
 End Sub
 Private Sub Command2_Click()
 rs("supplier") = Text1.Text
 rs("partdes") = Text2.Text
  rs("rate") = Val(Text3.Text)
  rs("tax") = Val(Text4.Text)
  rs.Update
  clear
  End Sub
  Private Sub Command5_Click()
  Unload Me
  End Sub
   Private Sub Form_Load()
   cmd1 = "dsn=KART;user id =scott;password =TIGER"
   Set cn = New ADODB.Connection
   With cn
   .CursorLocation = adUseServer
   .ConnectionString = cmd1
   .Open
   End With
   sql = "select * from parts"
    Set rs = New ADODB.Recordset
    .Open sql, cn, adOpenDynamic, adLockPessimistic
    Do While Not rs.EOF
    Combol.AddItem rs("partno")
    rs.MoveNext
    Loop
    End With
    clear
    End Sub
    Public Sub clear()
    Text1.Text = ""
    Text2.Text = ""
     Text3.Text = ""
```

```
Text4.Text = ""
End Sub
Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
rs.Close
cn.Close
 End Sub
 Dim sql As String
 Dim cn As ADODB.Connection
 Dim rs As ADODB.Recordset
 Dim cmd As String
 Private Sub Combol_Click()
  Dim sql1 As String
  sql1 = "select serdes,rate from servic where serno="" + Combol.Text + ""
  Set rs = New ADODB.Recordset
  With rs
  Open sql1, cn, adOpenDynamic, adLockPessimistic
  Text2.Text = rs("serdes")
  Text3.Text = rs("rate")
   End With
   End Sub
   Private Sub Command1_Click()
   rs("serdes") = Text2.Text
   rs("rate") = Text3.Text
   rs.Update
    clear
    End Sub
    Private Sub Command2_Click()
    Unload Me
    End Sub
    Private Sub Form_Load()
    cmd1 = "dsn=KART;user id =scott;password =TIGER"
     Set cn = New ADODB.Connection
     With cn
     .CursorLocation = adUseServer
     .ConnectionString = cmd1
     .Open
     End With
     sql = "select * from servic"
     Set rs = New ADODB.Recordset
      With rs
     Open sql, cn, adOpenDynamic, adLockPessimistic
      Do While Not rs.EOF
      Combol.AddItem rs("serno")
```

rs.MoveNext

```
Loop
End With
clear
End Sub
Public Sub clear()
Text2.Text = ""
Text3.Text = ""
 End Sub
 Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
 rs.Close
 cn.Close
  End Sub
  Dim sql As String
  Dim on As ADODB.Connection
  Dim rs As ADODB.Recordset
  Dim cmd As String
   Private Sub Command2_Click()
   Unload Me
   End Sub
   Private Sub Combol_Click()
   Dim sql1 As String
    sql1 = "select name,model,colour,frameno,keyno,pricebt,salest,priceat,handch,total
    from vehicle where engineno="" + Combo1.Text + ""
    Set rs = New ADODB.Recordset
    With rs
    .Open sql1, cn, adOpenDynamic, adLockPessimistic
    Text5.Text = rs("name")
    Text2.Text = rs("model")
    Text3.Text = rs("colour")
    Text4.Text = rs("frameno")
     Text6.Text = rs("keyno")
     Text7.Text = rs("pricebt")
     Text8.Text = rs("salest")
     Text9.Text = rs("priceat")
     Text10.Text = rs("handch")
     Textl1.Text = rs("total")
      End With
      End Sub
      Private Sub Command1_Click()
      rs("name") = Text5.Text
```

```
rs("model") = Text2.Text
rs("colour") = Text3.Text
rs("frameno") = Text4.Text
rs("keyno") = Text6.Text
rs("pricebt") = Val(Text7.Text)
rs("salest") = Val(Text8.Text)
rs("priceat") = Val(Text9.Text)
rs("handch") = Val(Text10.Text)
 rs("total") = Val(Text11.Text)
 rs.Update
 clear
 End Sub
 Private Sub Form_Load()
 cmd1 = "dsn=KART;user id =scott;password =TIGER"
  Set cn = New ADODB.Connection
  .CursorLocation = adUseServer
  .ConnectionString = cmd1
  .Open
  End With
  sql = "select * from vehicle"
   Set rs = New ADODB.Recordset
   With rs
   .Open sql, cn, adOpenDynamic, adLockPessimistic
   Do While Not rs.EOF
   Combol.AddItem rs("engineno")
   rs.MoveNext
   Loop
    End With
    clear
    End Sub
    Public Sub clear()
    Text2.Text = ""
    Text3.Text = ""
    Text4.Text = ""
    Text5.Text = ""
    Text6.Text = ""
    Text7.Text = ""
     Text8.Text = ""
     Text9.Text = ""
     Text10.Text = ""
     Text11.Text = ""
     End Sub
      Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
      rs.Close
      cn.Close
      End Sub
```

```
Private Sub Form_Load()
```

End Sub

Private Sub Form_Load()

End Sub

Option Explicit
Dim cn As ADODB.Connection
Dim rs As ADODB.Recordset
Dim cmd, sql2 As String

Private Sub Combo2_Click()
DataReport1.Show
End Sub

'Private Sub Combo2_Click() 'cmd = "dsn=KART;user id =scott;password =TIGER" 'Set cn = New ADODB.Connection 'With cn '.CursorLocation = adUseServer '.ConnectionString = cmd '.Open 'End With 'sql2 = "select * from partinv" 'Set rs = New ADODB.Recordset '.Open sql2, cn, adOpenDynamic, adLockPessimistic 'Do While Not rs.EOF 'Combo2.AddItem rs("invno") 'rs.MoveNext 'Loop 'End With 'Combo2.SetFocus 'End Sub

Private Sub Form_Load()
cmd = "dsn=KART;user id =scott;password =TIGER"
Set cn = New ADODB.Connection
With cn
.CursorLocation = adUseServer
.ConnectionString = cmd
.Open
End With
sql2 = "select * from partinv"
Set rs = New ADODB.Recordset

```
With rs
.Open sql2, cn, adOpenDynamic, adLockPessimistic
Do While Not rs.EOF
Combo2.AddItem rs("invno")
rs.MoveNext
Loop
End With
End Sub
Private Sub Form_Load()
 WebBrowser1.Navigate ("c:\kctproj\testser.txt")
 End Sub
 Private Sub WebBrowser1_StatusTextChange(ByVal Text As String)
 End Sub
  Option Explicit
  Dim I As Integer
  Dim sql As String
  Dim cn As ADODB.Connection
  Dim rs As ADODB.Recordset
  Dim cmd As String
  Private Sub List1_KeyDown(KeyCode As Integer, Shift As Integer)
  Dim sql1 As String
  If KeyCode = vbKeyReturn Then
  List1.SetFocus
   sql1 = "select partno,partdes, rate,tax from parts where partno="" + List1.Text + ""
   Set rs = New ADODB.Recordset
   With rs
   .Open sql1, cn, adOpenDynamic, adLockPessimistic
   Text6(I).Text = List1.Text
   Text7(I).Text = rs("partdes")
   Text8(I).Text = rs("rate")
   Text10(I).Text = rs("tax")
   End With
   List1.Visible = False
   Text9(I).SetFocus
    End If
    End Sub
    Private Sub Text6_KeyDown(Index As Integer, KeyCode As Integer, Shift As
    Integer)
    Static j As Integer
     If KeyCode = vbKeyF1 Then
     List1.Visible = True
      End If
      If KeyCode = vbKeyEscape Then
```

```
For j = 0 To I
Text12.Text = Val(Text12.Text) + Val(Text9(j).Text)
Text13.Text = Val(Text13.Text) + Val(Text11(j).Text)
 Next j
 Text4.Text = Text13.Text
 Text4.Enabled = False
 Text12.Enabled = False
 Text13.Enabled = False
  End If
End Sub
Private Sub Text9_KeyDown(Index As Integer, KeyCode As Integer, Shift As
Integer)
Static cl As Integer
If KeyCode = v\bar{b}KeyReturn Then
Text5(I).Enabled = False
Text6(I).Enabled = False
 Text7(I).Enabled = False
 Text8(I). Enabled = False
 Text9(I).Enabled = False
 Text10(I).Enabled = False
 Text11(I).Text = (Val(Text8(I).Text) + Val(Text10(I).Text)) * Val(Text9(I).Text)
 Text11(I).Enabled = False
 I = I + I
 cl = l + 1
 If (cl / 8) = 0 Then
 first
  End If
  Load Text5(I)
  Text5(I).Top = Text5(I - 1).Top + Text5(I).Height + 20
  Text5(I). Visible = True
  Text5(I).Text = ""
  Text5(I).Enabled = True
  Text5(I).Text = I + 1
  Load Text6(I)
  Text6(I).Top = Text6(I - 1).Top + Text6(I).Height + 20
  Text6(I). Visible = True
  Text6(I).Text = ""
  Text6(1).Enabled = True
   Load Text7(I)
   Text7(I).Top = Text7(I-1).Top + Text7(I).Height + 20
   Text7(I).Visible = True
   Text7(I).Text = ""
   Text7(I).Enabled = True
   Load Text8(I)
   Text8(I).Top = Text8(I-1).Top + Text8(I).Height + 20
   Text8(I). Visible = True
```

Text8(I).Text = ""

```
Text8(I).Enabled = True
Load Text9(I)
Text9(I).Top = Text9(I-1).Top + Text9(I).Height + 20
Text9(1). Visible = True
Text9(I).Text = ""
Text9(I).Enabled = True
Load Text10(I)
Text10(I).Top = Text10(I - 1).Top + Text10(I).Height + 20
Text10(1). Visible = True
 Text10(I).Text = ""
 Text10(1). Enabled = True
 Load Text11(1)
 Text11(I).Top = Text11(I-1).Top + Text11(I).Height + 20
 Text11(I).Visible = True
 Text11(I). Text = ""
 Text11(1).Enabled = True
  Text6(I).SetFocus
  Text6(I).Enabled = True
  End If
  End Sub
  Private Sub Timer1_Timer()
  Label5.Caption = Format(Now, "DD:MM:YYYY")
   Label6.Caption = Format(Now, "HH:MM:SS")
   End Sub
   Private Sub Form_Load()
   cmd = "dsn=KART;user id =scott;password =TIGER"
   Set cn = New ADODB.Connection
   With cn
    .CursorLocation = adUseServer
    .ConnectionString = cmd
    .Open
    End With
    sql = "select * from parts"
    Set rs = New ADODB.Recordset
    With rs
    .Open sql, cn, adOpenDynamic, adLockPessimistic
    Do While Not rs.EOF
    List1.AddItem rs("partno")
    rs.MoveNext
     Loop
     End With
     List1.Visible = False
     End Sub
     Public Sub clear()
```

End Sub

```
Public Sub first()
Dim i As Integer
For j = 1 To cl
Text5(j).Visible = False
Text6(j). Visible = False
Text7(j). Visible = False
Text8(j).Visible = False
Text9(j). Visible = False
Text10(j).Visible = False
Text11(j). Visible = False
 Next j
 End Sub
 Dim sql, sql1 As String
 Dim on As ADODB.Connection
 Dim rs As ADODB.Recordset
  Dim rs1 As ADODB.Recordset
  Dim rs2 As ADODB.Recordset
  Dim cmd As String
  Dim rate, tax, qty, qtycons, rowval, amtcons As Integer
  Dim signal As Boolean
  Dim sig1 As Boolean
  Dim sig2 As Boolean
   Dim sn As Integer
   Private Sub Command [_Click()
   frminvview.Show
   End Sub
   Private Sub Form_Load()
   signal = True
   sig1 = False
   sig2 = False
    sn = 1
    cmd = "dsn=KART;user id =scott;password = "IGER"
    Set on = New ADODB Connection
    With cn
    .CursorLocation = adUseServer
    .ConnectionString = cmd
     Open
     End With
    sql = "select * from servic"
    sq12 = "select * from serviceinv"
     Set rs = New ADODB.Recordset
     Set rs1 = New ADODB.Recordset
     Set rs2 = New ADODB.Recordset
     .Open sql, cn, adOpenDynamic, adLockPessimistic
     Do While Not rs.EOF
     List1.AddItem rs("serno")
```

```
rs MoveNext
Loop
End With
With rs1
.Open sql2, cn, adOpenDynamic, adLockPessimistic
End With
List1.Visible = False
Text5.Visible = False
MSFlexGrid1.Cols = 6
MSFlexGrid1.ColWidth(0) = 550
MSFlexGrid1.ColWidth(1) = 1600
 MSFlexGrid1.ColWidth(2) = 4000
 MSFlexGrid1.ColWidth(3) = 1000
 MSFlexGrid1.ColWidth(4) = 1000
 MSFlexGrid1.ColWidth(5) = 2000
 MSFlexGrid1.Col = 0
 MSFlexGrid1.Row = 0
 MSFlexGrid1.Text = "SNO"
 MSFlexGrid1.Col = 1
 MSFlexGrid1.Text = "SERNO"
 MSFlexGrid1.Col = 2
  MSFlexGrid1.Text = "SERVICEDESCRIPTION"
  MSFlexGrid1.Col = 3
  MSFlexGrid1.Text = "RATE"
  MSFlexGrid1.Col = 4
  MSFlexGrid1.Text = "NOS"
  MSFlexGrid1.Col = 5
  MSFlexGrid1.Text = "AMOUNT"
  MSFlexGrid1.Col = 0
  MSFlexGrid1.Row = 1
  MSFlexGrid1.Text = 1
   MSFlexGrid1.Col = 1
   MSFlexGrid1.Row = 1
   rs2.Open "select max(sinvno) from serviceinv", cn, adOpenDynamic
   Text2.Text = rs2(0) + 1
   End Sub
   Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
   rs.Close
   rs1.Close
   cn.Close
    End Sub
    Private Sub List1_Click()
    sql1 = "select serno, serdes, rate from servic where serno="" + List1.Text + ""
    Set rs = New ADODB.Recordset
    With rs
    .Open sql1, cn, adOpenDynamic, adLockPessimistic
    MSFlexGrid1.Col = 1
    MSFlexGrid1.Text = List1.Text
    MSFlexGrid1.Col = 2
```

```
MSFlexGrid1.Text = rs("serdes")
MSFlexGrid1.Col = 3
MSFlexGrid1.Text = rs("rate")
rate = rs("rate")
List1.Visible = False
End With
MSFlexGrid1.Rows = MSFlexGrid1.Rows + 1
signal = True
MSFlexGrid1.Col = 4
MSFlexGrid1.SetFocus
 Private Sub List1_KeyDown(KeyCode As Integer, Shift As Integer)
 List1.SetFocus
 If KeyCode = vbKeyReturn Then
 sql1 = "select serno,serdes,rate from service where serno="" + List1.Text + """
 Set rs = New ADODB.Recordset
 With rs
 .Open sql1, cn, adOpenDynamic, adLockPessimistic
 MSFlexGrid1.Col = 1
 MSFlexGrid1.Text = List1.Text
  MSFlexGrid1.Col = 2
  MSFlexGrid1.Text = rs("serdes")
  MSFlexGrid1.Col = 3
  MSFlexGrid1.Text = rs("rate")
  rate = rs("rate")
  List1.Visible = False
  End With
  MSFlexGrid1.Rows = MSFlexGrid1.Rows + 1
   MSFlexGrid1.SetFocus
   End If
   End Sub
   Private Sub MSFlexGrid1_KeyDown(KeyCode As Integer, Shift As Integer)
   Close #1
   rs.Close
   rs.Open "select * from servic", cn, adOpenDynamic
   Open "c:\kctproj\testser.txt" For Output As #1
   Print #1.
                                                                 Phone
    Print #1, " DHEEPSEELAA MOTORS
    :440916,444579
                                                         TNGST No: 2000529 Dt.
    Print #1, " Dealers of KineticHonda
    16.12.89 "
                 (Near Sri Avinasilingam Home Science College)
                                                                     IAC:105
    Print #1, "
                436, Mettupalayam Road, Coimbatore-641043
                                                                    CST No
    Print #1, "
    :552777 Dt. 16.12.89 "
    Print #1,
```

```
DATE
                                                       BILL NO.
Print #1, "NAME/VEHICLE NO.:
Print #1, Tab(5); Text1.Text, Tab(62); Text2.Text, Tab(76); Label5.Caption
Print #1,
                                                                          NOS
                                                            RATE
                                     PARTICULARS
Print #1, " SNO SERVICE NO
AMOUNT "
Print #1,
 If KeyCode = vbKeyF1 Then
 List1.Visible = True
 List1.SetFocus
 End If
 If KeyCode = vbKeyEscape Then
 Text10.Text = amtcons
 MSFlexGrid1.Text = ""
  For I = 1 To MSFlexGrid1.Row - 1
  rs1.AddNew
  rs1("sinvno") = Text2.Text
  rs1("sidate") = Format(CDate(Label5.Caption), "dd/mm/yyyy")
  rs1("vehicleno") = Text1.Text
  MSFlexGrid1.Col = 1
   MSFlexGrid1.Row = I
   rs1("serno") = MSFlexGrid1.Text
   MSFlexGrid1.Col = 2
   rs1("serdes") = MSFlexGrid1.Text
   MSFlexGrid1.Col = 3
   rs1("rate") = MSFlexGrid1.Text
   MSFlexGrid1.Col = 4
   rs1("nos") = MSFlexGrid1.Text
   MSFlexGrid1.Col = 5
   rs1("amount") = MSFlexGrid1.Text
    Print #1, Tab(1); j, Tab(15); rs1("serno"), Tab(33); rs1("serdes"), Tab(55);
    rs1("rate"), Tab(71); rs1("nos"), Tab(85); rs1("amount")
    j = j + 1
    rs1.Update
    Next I
    Print #1,
    Print #1, Tab(70); "TOTAL", Tab(85); amtcons
     Close #1
     End If
     End Sub
     Private Sub MSFlexGrid1_KeyPress(KeyAscii As Integer)
     If (KeyAscii = 8) Then
     On Error Resume Next
```

```
MSFlexGrid1.Row = MSFlexGrid1.RowSel
MSFlexGrid1.Col = MSFlexGrid1.ColSel
MSFlexGrid1.Text = MSFlexGrid1.Text + Chr(KeyAscii)
Text5 = MSFlexGrid1.Text
Text5.SelStart = 0
Text5.SelLength = Len(Text5.Text) - 2
Text5.Text = Text5.SelText
MSFlexGrid1.Text = Text5.Text
Text5.Text = ""
Exit Sub
 End If
 MSFlexGrid1.Row = MSFlexGrid1.RowSel
 MSFlexGrid1.Col = MSFlexGrid1.ColSel
 MSFlexGrid1.Text = MSFlexGrid1.Text + Chr(KeyAscii)
 If MSFlexGrid1.Col = 1 Then
 If KeyAscii = 13 Then
 Text5 = MSFlexGrid1.Text
 Text5.SelStart = 0
 Text5.SelLength = Len(Text5.Text) - 1
 Text5.Text = Text5.SelText
 MSFlexGrid1.Text = Text5.Text
  Text5.Text = ""
  sql1 = "select * from service where serno=" + MSFlexGrid1.Text + ""
  Set rs = New ADODB.Recordset
  With rs
  .Open sql1, cn, adOpenDynamic, adLockPessimistic
  MSFlexGrid1.Col = 2
  MSFlexGrid1.Text = rs("serdes")
   MSFlexGrid1.Col = 3
   MSFlexGrid1.Text = rs("rate")
   rate = rs("rate")
   End With
   MSFlexGrid1.Rows = MSFlexGrid1.Rows + 1
   MSFlexGrid1.Col = 4
   MSFlexGrid1.SetFocus
   End If
   End If
   End Sub
   Private Sub MSFlexGrid1_LeaveCell()
    If signal = True Then
      If MSFlexGrid1.Col = 4 And MSFlexGrid1.Row > 0 Then
      signal = False
      qty = Val(MSFlexGrid1.Text)
      amt = rate * qty
      amtcons = amtcons + amt
       MSFlexGrid1.Col = 5
       MSFlexGrid1.Text = amt
       MSFlexGrid1.Row = MSFlexGrid1.Row + 1
       rowval = MSFlexGrid1.Row
       MSFlexGrid1.Col = 0
```

```
sn = sn + 1
 MSFlexGrid1.Text = sn
  sig1 = True
End If
End If
End Sub
Private Sub MSFlexGrid1_RowColChange()
If sig1 = True Then
  MSFlexGrid1.Row = rowval
  MSFlexGrid1.Col = 1
  MSFlexGrid1.SetFocus
   sig1 = False
End If
 End Sub
 Private Sub Timer1_Timer()
 Label5.Caption = Format(Now, "DD/MM/YYYY")
 Label6.Caption = Format(Now, "HH:MM:SS")
 End Sub
 Dim sql, sql1 As String
 Dim on As ADODB.Connection
 Dim rs As ADODB.Recordset
 Dim rs1 As ADODB.Recordset
 Dim rs2 As ADODB.Recordset
 Dim cmd As String
 Dim rate, tax, qty, qtycons, rowval, amtcons As Integer
  Dim signal As Boolean
  Dim sig1 As Boolean
  Dim sig2 As Boolean
  Dim sn As Integer
  Private Sub Command2_Click()
  frminvview.Show
  End Sub
  Private Sub Command3_Click()
  Shell "c:\kctproj\testpr.bat", vbHide
   End Sub
   Private Sub Form_Load()
   signal = True
   sig1 = False
   sig2 = False
   sn = 1
   cmd = "dsn=KART;user id =scott;password =TIGER"
   Set cn = New ADODB.Connection
   With cn
   .CursorLocation = adUseServer
   .ConnectionString = cmd
    .Open
    End With
```

```
sal = "select * from parts"
sql2 = "select * from partinv"
Set rs = New ADODB.Recordset
Set rs1 = New ADODB.Recordset
Set rs2 = New ADODB.Recordset
With rs
.Open sql, cn, adOpenDynamic, adLockPessimistic
Do While Not rs.EOF
List1.AddItem rs("partno")
rs.MoveNext
Loop
End With
 With rs1
 .Open sql2, cn, adOpenDynamic, adLockPessimistic
 End With
 List1.Visible = False
 Text5. Visible = False
 MSFlexGrid1.Cols = 7
 MSFlexGrid1.Rows = 2
 MSFlexGrid1.Col = 3
 MSFlexGrid1.Row = 1
 MSFlexGrid1.ColWidth(0) = 550
 MSFlexGrid1.ColWidth(1) = 1600
 MSFlexGrid1.ColWidth(2) = 4000
 MSFlexGrid1.ColWidth(3) = 800
 MSFlexGrid1.ColWidth(5) = 1000
 MSFlexGrid1.ColWidth(6) = 1750
  MSFlexGrid1.Col = 0
  MSFlexGrid1.Row = 0
  MSFlexGrid1.Text = "SNO"
  MSFlexGrid1.Col = 1
  MSFlexGrid1.Text = "PARTNO"
  MSFlexGrid1.Col = 2
  MSFlexGrid1.Text = "PARTDESCRIPTION"
  MSFlexGrid1.Col = 3
  MSFlexGrid1.Text = "RATE"
  MSFlexGrid1.Col = 4
  MSFlexGrid1.Text = "QTY"
  MSFlexGrid1.Col = 5
  MSFlexGrid1.Text = "TAX"
  MSFlexGrid1.Col = 6
  MSFlexGrid1.Text = "AMOUNT"
  MSFlexGrid1.Col = 0
   MSFlexGrid1.Row = 1
   MSFlexGrid1.Text = 1
   rs2.Open "select max(invno) from partinv", cn, adOpenDynamic
   Text2.Text = rs2(0) + 1
   Close #1
   End Sub
```

Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)

```
rs.Close
cn.Close
End Sub
Private Sub List1 Click()
sql1 = "select partno,partdes,rate,tax from parts where partno="" + List1.Text + ""
Set rs = New ADODB.Recordset
With rs
.Open sql1, cn, adOpenDynamic, adLockPessimistic
If rs("stockinhand") = 0 Then
MsgBox vbOKOnly, "PART NOT AVAILABLE. ENTER THE NEXT ITEM"
MSFlexGrid1.Text = ""
Else
If rs("stockinhand") < rs("preorder") Then
MsgBox vbOKOnly, "STOCK IS BELOW REORDER LEVEL"
End If
 End If
 MSFlexGrid1.Col = 1
 MSFlexGrid1.Text = List1.Text
 MSFlexGrid1.Col = 2
 MSFlexGrid1.Text = rs("partdes")
 MSFlexGrid1.Col = 3
 MSFlexGrid1.Text = rs("rate")
 rate = rs("rate")
 MSFlexGrid1.Col = 5
 MSFlexGrid1.Text = rs("tax")
 tax = rs("tax")
 List1.Visible = False
 End With
 MSFlexGrid1.Rows = MSFlexGrid1.Rows + !
 signal = True
 MSFlexGrid1.Col = 4
 MSFlexGrid1.SetFocus
  End Sub
  Private Sub List!_KeyDown(KeyCode As Integer, Shift As Integer)
  If KeyCode = vbKeyReturn Then
  sql1 = "select partno,partdes, rate,tax from parts where partno="" + List1.Text + """
  Set rs = New ADODB.Recordset
  With rs
  .Open sql1, cn, adOpenDynamic, adLockPessimistic
  MSFlexGrid1.Col = 1
  MSFlexGrid1.Text = List1.Text
  MSFlexGrid1.Col = 2
  MSFlexGrid1.Text = rs("partdes")
  MSFlexGrid1.Col = 3
  MSFlexGrid1.Text = rs("rate")
  rate = rs("rate")
  MSFlexGrid1.Col = 5
  MSFlexGrid1.Text = rs("tax")
  tax = rs("tax")
```

List1. Visible = False

```
End With
MSFlexGrid1.Rows = MSFlexGrid1.Rows + 1
MSFlexGrid1.SetFocus
End If
End Sub
Private Sub MSFlexGrid1_KeyDown(KeyCode As Integer, Shift As Integer)
rs.Close
rs.Open "select * from parts", cn, adOpenDynamic
Open "c:\kctproj\testrep.txt" For Output As #1
Print #1,
                                                               Phone
             DHEEPSEELAA MOTORS
Print #1, "
 :440916,444579
                                                       TNGST No: 2000529
             Dealers of KineticHonda
 Print #1, "
 Dt. 16.12.89 "
             (Near Sri Avinasilingam Home Science College)
                                                                   IAC: 105
 Print #1, "
             436, Mettupalayam Road, Coimbatore-641043
                                                                  CST No
 Print #1, "
 :552777 Dt. 16.12.89 "
 Print #1,
                                                                       DATE
                                                        BILL NO.
 Print #1, "NAME/VEHICLE NO.:
 Print #1, Tab(5); Text1.Text, Tab(62); Text2.Text, Tab(76); Label5.Caption
 Print #1,
                                                        RATE QTY
                                   PARTICULARS
                     PART NO
 Print #1, "SNO
                 AMOUNT "
  SALESTAX
  Print #1,
  If KeyCode = vbKeyF1 Then
  List1.Visible = True
  List1.SetFocus
  End If
  If KeyCode = vbKeyEscape Then
  Text13.Text = amtcons
  MSFlexGrid1.Text = ""
  Text12.Text = Str(qtycons)
  i = 1
  For I = 1 To MSFlexGrid1.Row - 1
  rs1.AddNew
  rs1("invno") = Text2.Text
  rs1("pidate") = Format(CDate(Label5.Caption), "dd/mm/yyyy")
   rs1("noname") = Text1.Text
   MSFlexGrid1.Col = 1
   MSFlexGrid1.Row = I
```

```
rs1("partno") = (MSFlexGrid1.Text)
MSFlexGrid1.Col = 2
rs1("partdes") = MSFlexGrid1.Text
MSFlexGrid1.Col = 3
rs1("rate") = MSFlexGrid1.Text
MSFlexGrid1.Col = 4
rs1("qty") = MSFlexGrid1.Text
MSFlexGrid1.Col = 5
rs1("tax") = MSFlexGrid1.Text
MSFlexGrid1.Col = 6
rs1("amount") = MSFlexGrid1.Text
Print #1, Tab(1); j, Tab(15); rs1("partno"), Tab(30); rs1("partdes"), Tab(49);
rs1("rate"), Tab(57); rs1("qty"), Tab(72); rs("tax"), Tab(87); rs1("amount")
i = i + 1
rs.Find "partno=" & rs1("partno") & """
rs("stockinhand") = rs("stockinhand") - rs1("qty")
rs("pcb") = rs("pcb") - rsl("qty")
rs.Update
rs1.Update
rs.MoveFirst
Next I
End If
Print #1,
                                       TOTAL"; Tab(57); Text12.Text, Tab(88);
 Print #1, "
 Text13.Text
 Print #1.
 Close #1
 End Sub
 Private Sub MSFlexGrid1_KeyPress(KeyAscii As Integer)
 If (KeyAscii = 8) Then
 On Error Resume Next
 MSFlexGrid1.Row = MSFlexGrid1.RowSel
 MSFlexGrid1.Col = MSFlexGrid1.ColSel
 MSFlexGrid1.Text = MSFlexGrid1.Text + Chr(KeyAscii)
 Text5 = MSFlexGrid1.Text
 Text5.SelStart = 0
 Text5.SelLength = Len(Text5.Text) - 2
  Text5.Text = Text5.SelText
  MSFlexGrid1.Text = Text5.Text
  Text5.Text = ""
  Exit Sub
  End If
  MSFlexGrid1.Row = MSFlexGrid1.RowSel
  MSFlexGrid1.Col = MSFlexGrid1.ColSel
  MSFlexGrid1.Text = MSFlexGrid1.Text + Chr(KeyAscii)
  If MSFlexGrid I.Col = 1 Then
```

```
If KeyAscii = 13 Then
Text5 = MSFlexGrid1.Text
Text5 SelStart = 0
Text5.SelLength = Len(Text5.Text) - 1
Text5.Text = Text5.SelText
MSFlexGrid1.Text = Text5.Text
Text5.Text = ""
sql1 = "select * from parts where partno="" + MSFlexGrid1.Text + ""
Set rs = New ADODB.Recordset
 With rs
 .Open sql1, cn, adOpenDynamic, adLockPessimistic
 MSFlexGrid1.Col = 2
 MSFlexGrid1.Text = rs("partdes")
 MSFlexGrid1.Col = 3
 MSFlexGrid1.Text = rs("rate")
 rate = rs("rate")
 MSFlexGrid1.Col = 5
 MSFlexGrid1.Text = rs("tax")
 tax = rs("tax")
 End With
 MSFlexGrid1.Rows = MSFlexGrid1.Rows + 1
 MSFlexGrid1.Col = 4
  MSFlexGrid1.SetFocus
  End If
  End If
  End Sub
  Private Sub MSFlexGrid1_LeaveCell()
  If signal = True Then
     If MSFlexGrid1.Col = 4 And MSFlexGrid1.Row > 0 Then
     signal = False
     qty = Val(MSFlexGrid1.Text)
     qtycons = qtycons + qty
     amt = (rate + tax) * qty
     Print #1, Tab(86); amt
     amtcons = amtcons + amt
     MSFlexGrid1.Col = 6
     MSFlexGrid1.Text = amt
     MSFlexGrid1.Row = MSFlexGrid1.Row + 1
     rowval = MSFlexGrid1.Row
     MSFlexGrid1.Col = 0
     sn = sn + 1
     MSFlexGrid1.Text = sn
      sigl = True
   End If
    End If
    End Sub
    Private Sub MSFlexGrid1_RowColChange()
    If sig1 = True Then
      MSFlexGrid1.Row = rowval
      MSFlexGrid1.Col = 1
```

```
MSFlexGrid1.SetFocus
  sig1 = False
End If
End Sub
Private Sub Timer1_Timer()
Label5.Caption = Format(Now, "DD/MM/YYYY")
Label6.Caption = Format(Now, "HH:MM:SS")
End Sub
Dim sql, sql1, sql2, sql4 As String
Dim on As ADODB.Connection
Dim rs As ADODB.Recordset
Dim rs1 As ADODB.Recordset
Dim rs2 As ADODB.Recordset
Dim rs3 As ADODB.Recordset
Dim cmd As String
Private Sub Command1_Click()
Command 1. Enabled = False
Open "c:\kctproj\testveh.txt" For Output As #1
Print #1.
Print #1, " DHEEPSEELAA MOTORS
                                                                Phone
:440916,444579 "
                                                        TNGST No: 2000529
Print #1. " Dealers of KineticHonda
Dt. 16.12.89 "
Print #1, " (Near Sri Avinasilingam Home Science College)
                                                                   IAC:105
Print #1, " 436, Mettupalayam Road, Coimbatore-641043
                                                                 CST No
:552777 Dt. 16.12.89 "
Print #1,
                                                BILL NO. DATE
Print #1, "NAME:
Print #1, Tab(5); Text1.Text, Tab(62); Text2.Text, Tab(76); Label11.Caption
Print #1.
\overline{\text{Text10.Text}} = \text{Val}(\text{Text9.Text}) + \text{Val}(\text{Text13.Text})
rs1.AddNew
rsl("soldto") = Text1.Text
rs1("vinvno") = Text2.Text
 rs1("vidate") = Label11.Caption
 rs1("name") = Text3.Text
 rsl("model") = Text4.Text
 rsl("colour") = Text5.Text
 rs1("frameno") = Text6.Text
 rs1("engineno") = Text7.Text
 rsl("keyno") = Text8.Text
 rs1("salet") = Val(Text9.Text)
```

```
rs1("pricebt") = Val(Text13.Text)
rs1("priceat") = Val(Text9.Text) + Val(Text13.Text)
rs1("hande") = Val(Text11.Text)
rsl("total") = Val(Text11.Text) + Val(Text10.Text)
Print #1, ""
Print #1, Tab(10); "Vehicle Name:", Tab(27); rs1("name")
Print #1, ""
                              :", Tab(27); rs1("model")
Print #1, Tab(10); "Model
Print #1, ""
                              :", Tab(27); rs1("colour")
Print #1, Tab(10); "Colour
Print #1, ""
                               :", Tab(27); rs1("frameno")
Print #1, Tab(10); "Frame no
Print #1, ""
                               :", Tab(27), rs1("engineno")
Print #1, Tab(10); "Engine no
Print #1, ""
                               :", Tab(27), rs1("keyno")
Print #1, Tab(10); "Key no
Print #1, ""
 Print #1,
 rs1.Update
 rs.MoveFirst
 rs2.MoveFirst
 Do Until rs.EOF = True
  If rs("engineno") 	☐ Text7.Text Then
   MsgBox "VEHICLE NOT AVAILABLE"
   Exit Do
  End If
  If rs("engineno") = Text7.Text Then
   MsgBox "DELETE"
  rs.Delete
  Exit Do
   Else
   rs.MoveNext
  End 1f
  Loop
  If rs("engineno") = Text7.Text Then
  Do Until rs2.EOF
  MsgBox rs2("model") & Text4.Text
  If rs2("model") = Text4.Text Then
  MsgBox "STOCK DELETE"
  rs2("stockinhand") = rs2("stockinhand") - 1
  rs2("vcb") = rs2("vcb") - 1
  rs2.Update
  Exit Do
  Else
  rs2.MoveNext
  End If
  Loop
  End If
  End Sub
```

```
Private Sub Command2_Click()
Unload Me
End Sub
Private Sub Form Load()
cmd1 = "dsn=KART;user id =scott;password =TIGER"
Set cn = New ADODB.Connection
With cn
.CursorLocation = adUseServer
.ConnectionString = cmd1
.Open
End With
sql = "select * from vehicle"
sql1 = "select* from vehicleinvoice"
sql2 = "select * from vehiclestock"
Set rs = New ADODB.Recordset
Set rs1 = New ADODB.Recordset
Set rs2 = New ADODB.Recordset
Set rs3 = New ADODB.Recordset
With rs
.Open sql, cn, adOpenDynamic, adLockPessimistic
End With
With rs1
.Open sql1, cn, adOpenDynamic, adLockPessimistic
End With
 With rs2
 .Open sql2, cn, adOpenDynamic, adLockPessimistic
 rs3.Open "select max(vinvno) from vehicleinv", cn, adOpenDynamic
 Text2.Text = rs3(0) + 1
 End Sub
 Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
 rs.Close
 rs1.Close
 rs2.Close
 cn.Close
 End Sub
 Private Sub Text11_LostFocus()
 Text12.Text = Val(Text11.Text) + Val(Text10.Text)
 End Sub
 Private Sub Timer()
 Label11.Caption = Format(Now, "DD:MM:YYYY")
 Label13.Caption = Format(Now, "HH:MM:SS")
 End Sub
 Dim sql As String
 Dim cn As ADODB.Connection
 Dim rs As ADODB.Recordset
```

```
Dim cmd As String
Private Sub Command l_Click()
rs.AddNew
rs("name") = Text1.Text
rs("model") = Text2.Text
rs("colour") = Text3.Text
rs("frameno") = Text4.Text
rs("engineno") = Text5.Text
rs("keyno") = Text6.Text
rs("pricebt") = Val(Text7.Text)
rs("salest") = Val(Text8.Text)
rs("priceat") = Val(Text7.Text) + Val(Text8.Text)
rs("handch") = Val(Text9.Text)
rs("total") = Val(Text9.Text) + Val(Text7.Text) + Val(Text8.Text)
rs.Update
clear
Text1.SetFocus
End Sub
Private Sub Command2_Click()
Unload Me
End Sub
Private Sub Form Load()
cmd1 = "dsn=KART;user id =scott;password =TIGER"
 Set cn = New ADODB.Connection
 With cn
 .CursorLocation = adUseServer
 .ConnectionString = cmd1
 .Open
 End With
 sql = "select * from vehicle"
 Set rs = New ADODB.Recordset
 With rs
 .Open sql, cn, adOpenDynamic, adLockPessimistic
 Do While Not rs.EOF
 rs.MoveNext
 Loop
 End With
 clear
 End Sub
 Public Sub clear()
 Text1.Text = ""
 Text2.Text = ""
 Text3.Text = ""
 Text4.Text = ""
 Text5.Text = ""
 Text6.Text = ""
```

```
Text7.Text = ""
Text8.Text = ""
Text9.Text = ""
End Sub
Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
rs.Close
cn.Close
End Sub
Dim sql As String
Dim cn As ADODB.Connection
Dim rs As ADODB.Recordset
 Dim cmd As String
 Private Sub Command1_Click()
 End Sub
 Private Sub Command3_Click()
 rs("partno") = Text1.Text
 rs("partdes") = Text2.Text
 rs("rate") = Val(Text3.Text)
 rs("tax") = Val(Text4.Text)
 rs("supplier") = Text5.Text
 rs.Update
 clear
 rs.AddNew
 End Sub
 Private Sub Command4_Click()
 Unload Me
 End Sub
 Private Sub Form Load()
 cmd1 = "dsn=KART;user id =scott;password =TIGER"
 Set cn = New ADODB.Connection
 With cn
 .CursorLocation = adUseServer
  .ConnectionString = cmd1
  .Open
 End With
 sql = "select * from parts"
  Set rs = New ADODB.Recordset
  With rs
  .Open sql, cn, adOpenDynamic, adLockPessimistic
```

Do While Not rs.EOF

```
rs.MoveNext
Loop
End With
clear
rs.AddNew
End Sub
Public Sub clear()
Text1.Text = ""
Text2.Text = ""
Text3.Text = ""
Text4.Text = ""
Text5.Text = ""
End Sub
Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
rs.Close
cn.Close
End Sub
Dim sql As String
Dim on As ADODB.Connection
Dim rs As ADODB.Recordset
 Dim cmd As String
 Private Sub Command1 Click()
 rs("serno") = Text1.Text
 rs("serdes") = Text2.Text
 rs("rate") = Val(Text3.Text)
 rs.Update
 clear
 End Sub
 Private Sub Command3_Click()
 End Sub
 Private Sub Command2_Click()
 Unload Me
 End Sub
 Private Sub Form_Load()
 cmd1 = "dsn=KART;user id =scott;password =TIGER"
 Set cn = New ADODB.Connection
 .CursorLocation = adUseServer
 .ConnectionString = cmd1
 .Open
 End With
 sql = "select * from servic"
 Set rs = New ADODB.Recordset
```

```
With rs
.Open sql, cn, adOpenDynamic, adLockPessimistic
Do While Not rs.EOF
rs.MoveNext
Loop
End With
clear
rs.AddNew
End Sub
Public Sub clear()
Text1.Text = ""
Text2.Text = ""
Text3.Text = ""
End Sub
Private Sub Form QueryUnload(Cancel As Integer, UnloadMode As Integer)
rs.Close
cn.Close
End Sub
Dim sql As String
Dim on As ADODB.Connection
Dim rs As ADODB.Recordset
Dim cmd As String
Private Sub Command4_Click()
Unload Me
End Sub
Private Sub Combol Click()
Dim sql1 As String
sql1 = "select partdes,rate,tax,pob,pcb,stockinhand,preorder from parts where
partno="" + Combol.Text + """
Set rs = New ADODB.Recordset
With rs
.Open sql1, cn, adOpenDynamic, adLockPessimistic
Text1.Text = rs("partdes")
Text2.Text = rs("rate")
Text3.Text = rs("tax")
Text4.Text = rs("preorder")
Text5.Text = rs("stockinhand")
Text6.Text = rs("pob")
Text7.Text = rs("pcb")
End With
End Sub
```

Private Sub Command1_Click()

```
Text8.Visible = True
Text8.Text = ""
Label9.Visible = True
Text8.SetFocus
End Sub
Private Sub Command2 Click()
rs("stockinhand") = Val(Text8.Text) + rs("stockinhand")
rs("pcb") = Val(Text8.Text) + rs("pcb")
rs("pob") = Val(Text8.Text) + rs("pob")
rs.Update
Text5.Text = rs("stockinhand")
Text6.Text = rs("pob")
Text7.Text = rs("pcb")
Text8.Visible = False
Label9. Visible = False
End Sub
Private Sub Command5_Click()
Unload Me
 End Sub
 Private Sub Command3 Click()
 Unload Me
 End Sub
 Private Sub Form_Load()
 cmd1 = "dsn=KART;user id =scott;password =TIGER"
 Set cn = New ADODB.Connection
 With cn
 .CursorLocation = adUseServer
 .ConnectionString = cmd1
 .Open
 End With
 sql = "select * from parts"
 Set rs = New ADODB.Recordset
 With rs
 .Open sql, cn, adOpenDynamic, adLockPessimistic
 Do While Not rs.EOF
 Combol.AddItem rs("partno")
 rs.MoveNext
 Loop
 End With
 Text8.Visible = False
 Label9.Visible = False
  End Sub
  'Private Sub Text5 Change()
  'If Val(Text4.Text) < Val(Text5.Text) Then
  'MsgBox ("Please Update the Quantity")
  'Text8.Visible = True
```

```
'Label9.Visible = True
'End If
'End Sub
Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
rs.Close
cn.Close
End Sub
```

Dim sql As String
Dim cn As ADODB.Connection
Dim rs As ADODB.Recordset
Dim cmd As String
Private Sub Command3_Click()
Unload Me
End Sub

Private Sub Command1_Click()
Label2.Visible = True
Text1.Visible = True
Text1.SetFocus
End Sub

Private Sub Command2_Click()

```
rs("vreorder") = Text4.Text
rs("stockinhand") = Val(Text5.Text) + Val(Text1.Text)
rs("vob") = Val(Text6.Text) + Val(Text1.Text)
rs("vcb") = Val(Text7.Text) + Val(Text1.Text)
rs.Update
Text5.Text = rs("stockinhand")
Text6.Text = rs("vob")
Text7.Text = rs("vcb")
Label2.Visible = False
Text1.Visible = False
Text1.Text = ""
End Sub
Private Sub Form Load()
cmd1 = "dsn=KART;user id =scott;password =TIGER"
Set cn = New ADODB.Connection
With cn
.CursorLocation = adUseServer
.ConnectionString = cmd1
.Open
End With
sql = "select * from vehiclestock"
Set rs = New ADODB.Recordset
```

```
With rs
.Open sql, cn, adOpenDynamic, adLockPessimistic
Do While Not rs.EOF
rs.MoveNext
Loop
End With
Combol.AddItem "DX"
Combol.AddItem "ZX"
Combol.AddItem "ZXS"
Label2.Visible = False
Text1.Visible = False
End Sub
Private Sub Combo1_Click()
Dim sql1 As String
sql1 = "select vob,vcb,vreorder,stockinhand from vehiclestock where model="" +
Combol.Text + ""
Set rs = New ADODB.Recordset
 With rs
.Open sql1, cn, adOpenDynamic, adLockPessimistic
 Text5.Text = rs("stockinhand")
 Text4.Text = rs("vreorder")
 Text6.Text = rs("vob")
 Text7.Text = rs("vcb")
 End With
 End Sub
 Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
 rs.Close
 cn.Close
 End Sub
 Dim sql As String
 Dim cn As ADODB.Connection
 Dim rs As ADODB.Recordset
 Dim cmd As String
 Private Sub Command1_Click()
 On Error Resume Next
 rs.MoveFirst
  Text1.Text = rs("partno")
  Text2.Text = rs("partdes")
  Text3.Text = rs("rate")
  Text4.Text = rs("tax")
  Text5.Text = rs("supplier")
  End Sub
  Private Sub Command2_Click()
```

```
clear
rs.MoveLast
On Error Resume Next
Text1.Text = rs("partno")
Text2.Text = rs("partdes")
Text3.Text = rs("rate")
Text4.Text = rs("tax")
Text5.Text = rs("supplier")
End Sub
Private Sub Command3_Click()
On Error Resume Next
rs.MoveNext
Text1.Text = rs("partno")
If rs("partdes") <> "" Then
Text2.Text = rs("partdes")
End If
Text3.Text = rs("rate")
Text4.Text = rs("tax")
Text5.Text = rs("supplier")
End Sub
 Private Sub Command4_Click()
 clear
 On Error Resume Next
 rs.MovePrevious
 Text1.Text = rs("partno")
 Text2.Text = rs("partdes")
 Text3.Text = rs("rate")
 Text4.Text = rs("tax")
 Text5.Text = rs("supplier")
 End Sub
 Private Sub Command5 Click()
 Unload Me
 End Sub
 Private Sub Form_Load()
 cmd1 = "dsn=KART;user id =scott;password =TIGER"
 Set cn = New ADODB.Connection
 With cn
 .CursorLocation = adUseServer
 .ConnectionString = cmd1
 .Open
 End With
 sql = "select * from parts"
 Set rs = New ADODB.Recordset
  With rs
```

```
.Open sql, cn, adOpenDynamic, adLockPessimistic
Do While Not rs.EOF
rs.MoveNext
Loop
End With
clear
End Sub
Public Sub clear()
Text1.Text = ""
Text2.Text = ""
Text3.Text = ""
Text4.Text = ""
Text5.Text = ""
End Sub
Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
rs.Close
cn.Close
End Sub
Dim sql As String
Dim cn As ADODB.Connection
 Dim rs As ADODB.Recordset
Dim cmd As String
 Private Sub Command1_Click()
 rs.MoveFirst
 Text1.Text = rs("serno")
 Text2.Text = rs("serdes")
 Text3.Text = rs("rate")
 End Sub
 Private Sub Command2 Click()
 clear
 On Error Resume Next
 rs.MoveLast
 Text1.Text = rs("serno")
 Text2.Text = rs("serdes")
 Text3.Text = rs("rate")
 End Sub
 Private Sub Command3_Click()
 clear
 On Error Resume Next
 rs.MoveNext
 Text1.Text = rs("serno")
 If rs("serdes") 	<> "" Then
 Text2.Text = rs("serdes")
 End If
```

```
Text3.Text = rs("rate")
End Sub
Private Sub Command4_Click()
clear
On Error Resume Next
rs.MovePrevious
Text1.Text = rs("serno")
Text2.Text = rs("serdes")
Text3.Text = rs("rate")
End Sub
Private Sub Command5_Click()
Unload Me
End Sub
Private Sub Form Load()
cmd1 = "dsn=kart;user id =scott;password =TIGER"
Set cn = New ADODB.Connection
With cn
.CursorLocation = adUseServer
.ConnectionString = cmd1
 .Open
 End With
 sql = "select * from servic"
 Set rs = New ADODB.Recordset
 With rs
 .Open sql, cn, adOpenDynamic, adLockPessimistic
 Do While Not rs.EOF
 rs.MoveNext
 Loop
 End With
 clear
 End Sub
 Public Sub clear()
 Text1.Text = ""
 Text2.Text = ""
 Text3.Text = ""
 End Sub
 Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer)
 rs.Close
 cn.Close
 End Sub
 Dim sql As String
 Dim cn As ADODB.Connection
 Dim rs As ADODB.Recordset
```

Dim cmd As String

```
Private Sub Command1 Click()
On Error Resume Next
rs.MoveFirst
Text1.Text = rs("name")
Text2.Text = rs("model")
Text3.Text = rs("colour")
Text4.Text = rs("frameno")
Text5.Text = rs("engineno")
Text6.Text = rs("keyno")
Text7.Text = rs("pricebt")
Text8.Text = rs("salest")
Text9.Text = rs("priceat")
Text10.Text = rs("handch")
Text11.Text = rs("total")
End Sub
Private Sub Command2_Click()
clear
On Error Resume Next
rs.MoveLast
Text1.Text = rs("name")
Text2.Text = rs("model")
Text3.Text = rs("colour")
Text4.Text = rs("frameno")
Text5.Text = rs("engineno")
 Text6.Text = rs("keyno")
Text7.Text = rs("pricebt")
 Text8.Text = rs("salest")
 Text9.Text = rs("priceat")
 Text10.Text = rs("handch")
 Textll.Text = rs("total")
 End Sub
 Private Sub Command3_Click()
 clear
 On Error Resume Next
 rs.MoveNext
 Text1.Text = rs("name")
 Text2.Text = rs("model")
 Text3.Text = rs("colour")
 Text4.Text = rs("frameno")
 Text5.Text = rs("engineno")
 Text6.Text = rs("keyno")
 Text7.Text = rs("pricebt")
 Text8.Text = rs("salest")
 Text9.Text = rs("priceat")
 Text10.Text = rs("handch")
 Text11.Text = rs("total")
 End Sub
```

```
Private Sub Command4 Click()
clear
On Error Resume Next
rs.MovePrevious
Text1.Text = rs("name")
Text2.Text = rs("model")
Text3.Text = rs("colour")
Text4.Text = rs("frameno")
Text5.Text = rs("engineno")
Text6.Text = rs("keyno")
Text7.Text = rs("pricebt")
Text8.Text = rs("salest")
Text9.Text = rs("priceat")
Text10.Text = rs("handch")
Text11.Text = rs("total")
End Sub
Private Sub Command5_Click()
Unload Me
End Sub
Private Sub Form Load()
cmd1 = "dsn=kart;user id =scott;password =TIGER"
Set cn = New ADODB.Connection
With cn
.CursorLocation = adUseServer
.ConnectionString = cmd1
.Open
End With
sql = "select * from vehicle"
Set rs = New ADODB.Recordset
With rs
.Open sql, cn, adOpenDynamic, adLockPessimistic
Do While Not rs.EOF
rs.MoveNext
Loop
End With
clear
End Sub
Public Sub clear()
Text1.Text = ""
Text2.Text = ""
Text3.Text = ""
Text4.Text = ""
Text5.Text = ""
Text6.Text = ""
Text7.Text = ""
Text8.Text = ""
Text9.Text = ""
```

Text10.Text = ""
Text11.Text = ""
End Sub

Private Sub Form_QueryUnload(Cancel As Integer, UnloadMode As Integer) rs.Close cn.Close End Sub

Private Sub DataReport_Activate()
DataEnvironment1.Command1 (Form17.Combo1.Text)

End Sub

DHEEPSEELAA MOTORS

COIMBATORE

PARTS MONTHLY SALES

1

3/25/00

D 4 D CO 10	PARTDESCRIPTION		AMOUNT
PARTNO	01KHPISTON		
partno: 01KHPISTON	PISTON		555
01KHPISTON	PISTON		555
01KHPISTON	PISTON	TOTAL	55 5 1665
partno:	01TYRE		
OITYRE	TYRE		540
01TYRE	TYRE	•	180
01TYRE			180
OTTAC		TOTAL	900
partno:	456		
456	456		435
456	456		435
456	456		580
		TOTAL	1450
partno:	BULB		
BULB	12WKHB		130
BULB	KHBULB		52
BULB	KHBULB		78
		TOTAL	260

partno: DXCARSP

PARTNO DXCARSP		PARTDESCRIPTION CORPORATER	AMOUNT 62
DXCARSP		CORPORATER	124
DXCARSP		CORPORATER	155
			TOTAL 341
partno:	ghdfhgf		
ghdfhgf		jhg	716
ghdfhgf		jhg	179
ghdfhgf		jhg	537
•			TOTAL 1432
partno:	jhff		
jhff		etrtytr	360
jhff		etrtytr	360
			TOTAL 720
partno:	werwt		
werwr		ррррр	148
werwr		ppppp	148
			TOTAL 296
		<u></u>	TOTAL SALES 7064

68 6		단		
6.12.		AMOUNT	555 155 78 180	896
Phone :440916,444579 INGST No :2003529 Dt. 16.12.89 IAC : 1 3 5 CST No :552777 Dt. 16.12.89	DATE 25/03/2000	SALESTAX	5 2 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Pho INGST I	BILL NO. 32	QTY	H 20 M CV	11
Û		RATE	500 29 24 90	TOTAL
Home Science Colleg Coimbatore-641043		PARTICULARS	PIBTON CORPORATER RHBULB TYRE	
DHEEPSEELAA MOTORS Dealers of KineticHonda (Near Sri Avinasilingam Home Science College) 436, Mettupalayam Rosd, Coimbatore-641043	E NO.:	PART NO P	Oliver POXCARSP C C BULB R	
OHEEP Deale (Near 436,	NAME/VEHICLE NO. SIVA	SNO	H 01 00 40	

FOR DHEEPSEELAA MOTORS

	DHEEPBEELAA MOTORB Dealers of KineticHonda (Near Sri Avinasilingam 436, Mettupalayam Road,	AA MOTORB f KineticHonda Avinasilingam Home Science College) upalayam Road, Coimbatore-641043	FINGST 7	rione: :41031077 INGST No :2000529 Dt. 16.12.89 IAC : 1 0 5 CST No :552777 Dt. 16.12.89	16.12.89
NAME;'V EA	NAME/VEHICLE NO.: EARTHI		BILL NO.	DATE 25/03/2000	/2000
SNC	SERVICE NO	PARTICULARS	RATE	NOS	AMOUNT
G W 4- R	CARP WATER SERVICE OILCH HGCHA	CORPORATER CLEANING WAIER WASH SERVICE OIL CHANGE HAND GRIP CHANGE	55 - 90 140 10	a	55 90 140 30
				TOTAL	325

FOR DHEEPSEELAA MOTORS

-	DHEEPSEELAA MOTORS	RS		Phone	Phone :440916,444579
	Dealers of KineticHonda	icHon	Çi Ba	THEST NO	
	(Near Sri Avinas	iling	(Near Sri Avinasilingam Home Science College)	IAC	: 105
-	436, Mettupalaya	m Roa	436, Mettupalayam Road, Coimbatore-641043	CST No	CST No :552777 Dt. 16.12.89
NACE	SIVAPRAKASH			BILL NO.	DATE 25/03/2000
	Vehicle Name		KINETIC HONDA	PRICE BEFORE TAX	35000
	Model	••	ZXS	SALES TAX	: 1200
	Key no	••	111	Price after tax	36200
	Frame no	••	196875RTR	Handling charges	: 750
	Engine	••	128IVA12098		
-				TOTAL	36950

FOR DHEEPSEELAA MOTORS

Conclusion

With the exposure of the knowledge gained from the computer languages, whatever we have learnt is applied in the project to bring it to requirements of the proposed system. The softwares were carefully analysed and based on their suitability to the project the softwares were selected.

All the suggestions forwarded in the software proposal have been successfully completed and the final thresholds of the application have been crossed.

This user-friendly software overcame strict and severe validation checks performed using the test data. A great effort was made to attain maximum perfection in documenting the software in a simple, precise and self-explanatory manner.


Care was taken to produce the best outcome in minimum number of lines of code. The documentation covers all the features included in this project. The outputs have been shown in a neat manner to help the readers of this documentation to understand the system clearly. References were also made form various technical books during the preparation of the project and the list of books referred are listed in the bibliography. We once thank everybody who were involved directly or indirectly in the successful completion of this project.

Master	LAA MOTORS - [VEHICLE VIEW]		
	NAME	yui	
	MODEL	ZX	***************************************
	COLOUR	uiuiy89	FRST
	FRAME NO	ouiyiuy8	**************************************
	ENGINE NO	uy876	LAST
	KEY NO	76	NEXT
	PRICE BEFORE TAX	30000	
	SALES TAX	2000	PREVIOUS
	PRICE AFTER TAX	32000	CLOSE
	HANDLING CHARGES	1000	
	TOTAL AMOUNT	33000	. p.y

X B E

.

:29:58	DHEEPSELAA AUTHORISED DEALER: (NEAR SRI AVINASHILINGAM HO 436.METTUPALAYAM ROAD.COIN	S FOR KINETIC HONDA ME SCIENCE COLLEGE)	CASH BILL
LD TO NIF	MAL	BILL NO: 2	DATE:24:03:2000
NAME MODEL COLOUR	DX BLACK	KEY NO PRICE BEFORE TAX	097 4 35000
FRAME NO	6787 454648965	SALES TAX PRICE AFTER TAX HANDLING CHARGES	38500 1000
		TOTAL AMOUNT 39500	<u>i</u>



SAVE

CLOSE

VEHICLE SALES— ENTER THE		PARTS SALES	THEDATES	
FROM	ТО	FROM	ТО	
	SERVICE			

•

Bibliography

- Mastering Visual Basic 6.0
 by Evangelos Petroutsos
- Visual Basic 6 Complete Reference by Jerke
- Visual Basic 6 Client/Server & database Programming by by Michael McDonald.
- Oracle With Visual Basic by Snowdon.
- VB 6.0 from ground up by Dare Cornell
- An approach to database Programming by C.J Date
- Software Engineering by Pankaj Jalote

