



M.E DEGREE EXAMINATIONS: JAN 2015

(Regulation 2014)

First Semester

P14AET103: ADVANCED SIGNAL PROCESSING

(Common to Communication Systems/Applied Electronics)

Time: Three Hours

Maximum Marks: 100

Answer all the Questions:-

PART A (10 x 1 = 10 Marks)

1. Which of these statements are correct? [K₂]
 - 1) Any random process could be modeled as ARMA process.
 - 2) The auto correlation matrix of a WSS process $x(n)$ is a Hermitian Toeplitz matrix.
 - 3) The power in a zero mean WSS random process is proportional to mean value
 - 4) Any process can be factored using spectral factorization.

a) 1&2 b) 2&4
c) 2&3 d) 1&4
2. The correlation coefficient $|\rho_{xy}|$ is [K₁]
 - a) ≥ 1 b) ≤ 1
 - c) ≥ 0 d) ≤ 0
3. Assertion (A) : The resolution of the modified periodogram is window dependent. [K₄]
Reason (R) : It is a consistent estimate.
 - a) both A and R are individually true and R is the correct explanation of A b) both A and R are individually true but R is not the correct explanation of A
 - c) A is true but R is false d) A is false but R is true.
4. Smaller value of the model order in the parametric power spectral estimation method causes [K₂]
 - a) Spectral smoothing b) Spurious peaks in the spectrum
 - c) Noisy estimate d) Spectral convolution
5. In backward linear prediction the estimate is [K₂]
 - a) $\hat{x}(n - p)$ b) $\hat{x}(n + 1)$
 - c) $\hat{x}(n + p)$ d) $\hat{x}(n)$

14. When is the parametric method of power spectral estimation preferred? [K₂]
15. What is the Wiener Hopf solution to estimate d(n), where x(n) = d(n)+v(n) is the noisy observation of d(n)? [K₂]
16. What is Lattice structure? What is the advantage? [K₂]
17. What is the significance of minimum error in adaptive algorithm? [K₂]
18. Under what conditions IIR adaptive filters are preferred? [K₂]
19. Draw the polyphase structure for an interpolator with I=4 and 16th order FIR filter is used as anti imaging filter [K₂]
20. What are the applications of Subband coding? [K₂]

PART C (10 x 5 = 50 Marks)

21. Find the auto correlation for random process with power spectral density [K₃]


$$P_x(z) = \frac{-2z^2 + 5z - 2}{3z^2 + 10z + 3}$$

22. Explain ergodic process with necessary equations. [K₂]
23. Derive the variance of the Periodogram estimate. [K₂]
24. Explain Periodogram smoothing method. [K₂]
25. Distinguish between normalized LMS and LMS algorithm. [K₂]
26. Let r_x(k) be a complex autocorrelation sequence given by [K₃]

$$\mathbf{r}_x = [2 \quad 0.5(1+j), \quad 0.5j]$$

Use the Levinson- Durbin recursion to solve the autocorrelation normal equation for a second order all-pole model.

27. Derive the Wiener Hopf equation for FIR adaptive filter. [K₃]
28. Explain the principle of adaptive noise cancellation technique with an example. [K₂]
29. The spectrum of the discrete time signal is given in the following figure. Draw the spectrum of upsampled signal for I = 2, 3 and 4 and determine the cutoff frequency of the anti imaging filter. [K₃]




30. What is the need for QMF and derive necessary condition for perfect reconstruction. [K₂]

PART D (2 x 10 = 20 Marks)

31. Consider a single weight adaptive filter shown in the figure below


[K₃]



- a) Write the LMS algorithm for updating the weight $w(n)$.
 b) Suppose $x(n)$ is given by:

$$x(n) = \begin{cases} K & ; \quad n \geq 0 \\ 0 & ; \quad \text{otherwise} \end{cases}$$

Find the system function relating $d(n)$ to $e(n)$ using LMS algorithm, i.e., find $H(z)$ as given in the figure below.



- c) Compare LMS with RLS algorithm.

32. Derive Kalman gain which will minimize the mean squared error of the estimate.

[K₃]
