

Reg. No. :

| | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

L 1460

B.E/B.Tech. DEGREE EXAMINATION, APRIL/MAY 2008.

Second Semester

Civil Engineering

MA 132 — MATHEMATICS — II

(Common to all branches except Information Technology)

Time : Three hours

Maximum : 100 marks

Use of statistical tables permitted

Answer ALL questions.

PART A — (10 × 2 = 20 marks)

1. Change into polar coordinates, the integral $\int_{-a}^a \int_{-\sqrt{a^2-x^2}}^{\sqrt{a^2-x^2}} dy dx$
2. Determine the value of $\Gamma\left(\frac{11}{2}\right)$.
3. Determine whether $\vec{F} = (2xy + z^3)\hat{i} + x^2z\hat{j} + 3xz^2\hat{k}$ is a conservative force field.
4. State Stokes theorem.
5. Find the real and imaginary parts of $f(z) = 2z^3 - 3z$.
6. Find the points in the z -plane at which the mapping $w = z + z^{-1}$, ($z \neq 0$) fails to be conformal.
7. Find the radius of convergence of the series $\sum_{n=0}^{\infty} \frac{(z-a)^n}{n!}$ where a is any number.

8. Determine the residue at the pole $z = -2$ of the function $f(z) = \frac{z^2}{(z-1)^2(z+2)}$.
9. Write down the formula for μ_3 in terms of moment about any point.
10. Prove that correlation coefficient is the geometric mean of between the regression coefficients.

PART B — (5 × 16 = 80 marks)

11. (a) (i) Evaluate $\iint r^2 dr d\theta$ over the area bounded between the circles $r = 2 \cos \theta$ and $r = 4 \cos \theta$. (8)

- (ii) Evaluate $\int_0^x \int_0^y x e^{-y} dy dx$ by changing the order of integration. (8)

Or

- (b) (i) Find by triple integration, the volume in the positive octant bounded by the coordinate planes and the plane $x + 2y + 3z = 4$. (8)

- (ii) Prove that $y\beta(x+1, y) = x\beta(x, y+1)$. (3)

- (iii) Evaluate $\int_0^1 \frac{x^2 dx}{\sqrt{1-x^4}}$ in terms of gamma function. (5)

12. (a) (i) Find the work done when a force $\vec{F} = (y+3)\hat{i} + xz\hat{j} + (yz-x)\hat{k}$ moves a particle from $(0,0,0)$ to the point $(2,1,1)$ along the curve $x = 2t^2, y = t, z = t^3$ (6)

- (ii) State the divergence theorem. Verify the theorem for $\vec{F} = 2x^2y\hat{i} - y^2\hat{j} + 4xz^2\hat{k}$ taken over the region in the first octant bounded by $y^2 + z^2 = 9$ $x=0$ and $x=2$. (10)

Or

- (b) (i) If $\vec{r} = x\hat{i} + y\hat{j} + z\hat{k}$, show that $\text{grad} \left(\frac{1}{r} \right) = \frac{-\vec{r}}{r^3}$. (4)

- (ii) What is the greatest rate of increase of $u = x^2 + yz^2$ at the point $(1, -1, 3)$? (4)

- (iii) State Green's theorem. Verify the theorem for $\oint_C (xy^2 - 2xy)dx + (x^2y + 3)dy$ around the boundary of C of the region enclosed by $y^2 = 8x$ and $x = 2$. (8)

13. (a) (i) If $f(z) = u + iv$ is an analytic function, find $f(z)$ if $v = \log(x^2 + y^2) + x - 2y$ (8)

(ii) Find the image of the strip $\frac{1}{4} \leq y \leq \frac{1}{2}$ under the transformation $w = \frac{1}{z}$. Also show the regions graphically. (8)

Or

(b) (i) Explain the Milne Thomson's method to determine the analytic function $f(z)$ when its real part or imaginary part is given. Apply the method to find $f(z)$ when the real part of $f(z)$ is $e^{2x}(x \cos 2y - y \sin 2y)$. (10)

(ii) Find the bilinear transformation which maps the points $z = 1, i, -1$ into points $w = i, 0, -i$ (6)

14. (a) (i) Evaluate $\int_0^{2+i} (z^{-2}) dz$, along the real axis to 2 and then vertically to $2+i$. (6)

(ii) Evaluate $\int_0^{2\pi} \frac{d\theta}{2 + \cos \theta}$. (10)

Or

(b) (i) Expand $\frac{1}{z^2 - 4z + 3}$, $1 < |z| < 3$ as a Laurent series. (8)

(ii) Evaluate $\oint_C \frac{2z-1}{z(z+1)(z-3)} dz$ where C is the circle $|z| = 2$. (8)

15. (a) (i) Show that the correlation coefficient between X and Y remains unaltered by a linear change of variables. (8)

(ii) Given the following pairs of measurements for two variables.

X: 5 8 3 9 10 12

Y: 9 12 5 15 18 20

Use the regression line of y on x to estimate the value of y when $x = 1$. (8)

Or

- (b) (i) A survey of 320 families with 5 children each revealed the following distribution.

No. of boys : 5 4 3 2 1 0

No. of families : 14 56 110 88 40 12

Is this result consistent with the hypothesis that male and female births are equally likely. Test at 0.05 level of significance. (8)

- (ii) Two independent samples of eight and seven items respectively had the following values of the variables

Sample I 9 11 13 11 15 9 12 14

Sample II 10 12 10 14 9 8 10

Do the two estimates of population mean differ significantly at 5% level of significance. (8)