

B.TECH., DEGREE EXAMINATIONS: NOV/DEC 2012

Third Semester

INFORMATION TECHNOLOGY

CSE104: Design and Analysis of Algorithms

Time: Three Hours

Maximum Marks: 100

Answer All the Questions

PART A (10 x 1 = 10 Marks)

- Which of the the following shows the correct relationship among some of the more common computing times for alorithms
a) $O(\log n) < O(n) < O(n \cdot \log n) < O(n^2) < O(2^n)$ b) $O(n) < O(\log n) < O(n \cdot \log n) < O(n^2) < O(2^n)$
c) $O(\log n) < O(n) < O(n \cdot \log n) < O(2^n) < O(n^2)$ d) $O(\log n) < O(n) < O(n \cdot \log n) < O(n^2) < O(2^n)$
- If $f = O(h)$ and $g = O(k)$ then
a) $f + g = o(h+k)$ b) $fg = O(hk)$ c) both (a) and (b) d) $b.fg = O(h/k)$
- The running time $T(n)$ where (n) is the input size of a recursive algorithm is given as follows
 $T(n) = 1 + T(n-1)$ if $n > 1$
 $= d$ if $n \leq 1$
a) n^2 b) n^3 c) n^n d) n
- In the following C function, let $n \leq m$

```
Int gcd(n,m)
{
    If(n%m == 0) return m;
    n=n%m;
    return gcd(m,n)
}
```

How many recursive calls are made by this function?

a) $\Theta(\log_2 n)$ b) $\Omega(n)$ c) $\Theta(\log_2 \log_2 n)$ d) $\Theta(\sqrt{n})$
- Which one of the following in place sorting algorithms needs the minimum number of swaps?
a) Quick sort b) Insertion sort c) Selection sort d) Heap Sort
- Identify the correct statements about DFS traversal
I. It can be used to determine whether a graph is acyclic or not
II. It identify the connected component of an undirected graph

(OR)

- b) (i) Briefly discuss about the important problem that is used in data structure (7)
(ii) What are all the different types of Asymptotic notations used to analysis the algorithm, Explain them in detail. (7)

22. a) (i) Write an algorithm to find which number occurs more time in the unsorted array. (7)
And also analysis the algorithm.
(ii) Write a recursive algorithm for computing the sum of the first n cubes: (7)
 $S(n) = 1^3 + 2^3 + \dots + n^3$.
Set up the recurrence equation and find the time complexity of this algorithm


(OR)

- b) (i) What are the features that are desired in algorithm animation? (7)
(ii) Design a recursive algorithm for computing 2^n for any non negative integer n that is based on the formula $2^n = 2^{n-1} + 2^{n-1}$ (7)
Set up the recurrence equation and analyze it.


23. a) What is Brute-Force String Matching. Write down the Brute-Force String Matching algorithm and also explain with an example

(OR)

- b) (i) Find out the breath first and depth first search of the following graph (7)



- (ii) Find out the inorder, preorder and post order of the following graph (7)



24. a) Define optimal binary search tree. What is catalan number. Explain optimal binary search tree in detail and explain with the following example


key	A	B	C	D
probability	0.1	0.2	0.4	0.3

(OR)

- b) (i) Solve the all-pairs shortest-path problem for the digraph with the following weight matrix: (7)

$$\begin{bmatrix} 0 & 2 & \infty & 1 & 8 \\ 6 & 0 & 3 & 2 & \infty \\ \infty & \infty & 0 & 4 & \infty \\ \infty & \infty & 2 & 0 & 3 \\ 3 & \infty & \infty & \infty & 0 \end{bmatrix}$$

- (ii) Find out the minimum spanning tree the following graph using Kruskals algorithm (7)



25. a) What is subset sum problem nad also find the sub set sum of A= {1,2,5,6,8} and d=9

(OR)

- b) Solve the following instance of the knapsack problem by the branch and bound algorithm

item	weight	value
1	10	\$100
2	7	\$63
3	8	\$56
4	4	\$12

W = 16
