

Register Number: .....

**B.E., DEGREE EXAMINATIONS: NOV/DEC 2012**

Seventh Semester

**ELECTRONICS AND COMMUNICATION ENGINEERING**

ECE128: Advanced Digital Signal Processing

**Time: Three Hours**

**Maximum Marks: 100**

**Answer all the Questions:-**

**PART A (10 x 1 = 10 Marks)**

1. Periodogram is a -----estimator.
  - a) inconsistent
  - b) consistent
  - c) unbiased
  - d) asymptotically biased
2. If the autocorrelation function is  $\eta/2 \delta(k)$ , then the power spectral density is-----
  - a)  $\eta/4$
  - b)  $\eta^2/2$
  - c)  $\eta/2$
  - d)  $4\eta$
3. -----is used for estimation of non-stationary processes
  - a) FIR wiener filter
  - b) IIR wiener filter
  - c) Kalman filter
  - d) Lattice filter
4. The Wiener-Hopf equation for causal IIR Wiener filter is -----
  - a)  $\sum_{l=-\infty}^{\infty} h(l) r_x(k-l) = r_{dx}(k)$
  - b)  $\sum_{l=0}^{\infty} h(l) r_x(k-l) = r_{dx}(k)$
  - c)  $\sum_{l=0}^{\infty} h(l) r_x(1-k) = r_{dx}(l)$
  - d)  $\sum_{l=-\infty}^{\infty} h(l) r_x(1-k) = r_{dx}(k)$
5. The total number of multiplications and additions performed in adaptive filter are -----&-----
  - a)  $2p+3, 2p+4$
  - b)  $2p+3, 2p+2$
  - c)  $2p+4, 2p+3$
  - d)  $2p+2, 2p+3$
6. The exponential weighting factor  $\lambda$  for growing window RLS is -----
  - a) 0
  - b) 1
  - c)  $< 1$
  - d)  $> 1$
7. Anti-imaging filter is used in -----process.
  - a) interpolation
  - b) decimation
  - c) sampling
  - d) downsampling



22. a) (i) Obtain the Wiener-Hopf equations and Minimum mean square error for FIR Wiener filter (8)

(ii) Let  $d(n)$  be an AR(1) process with an autocorrelation sequence  $r_d(k) = \alpha^k$ ,  $0 < \alpha < 1$ , and suppose that  $d(n)$  is observed in the presence of uncorrelated white noise  $v(n)$  that has a variance of  $\sigma_v^2$ ,  $x(n) = d(n) + v(n)$ . Design a first order Wiener filter to reduce the noise in  $x(n)$ . (6)

(OR)

b) Explain how does discrete kalman filter produce the best estimate of  $x(n)$ . Find the kalman gain that minimizes the mean square error.

23. a) (i) Explain the design of adaptive filter based on steepest descent method. What is the drawback of the method? Explain how is it overcome in LMS adaptive algorithm? (10)

(ii) With neat diagram, explain any one application of adaptive filter. (4)

(OR)

b) What is RLS? Derive the recursive solution for exponentially weighted RLS algorithm with appropriate initialization.

24. a) (i) Explain the decimation process with an example. Also derive the frequency domain relation of input and output of decimator. (7)

(ii) With essential mathematical expressions, explain the interpolation process with an example (7)

(OR)

b) Discuss about Direct form FIR filter and Polyphase filter structures that are used in sampling rate conversion process.

25. a) (i) Define Discrete wavelet transform pair. Using Haar scaling and wavelet functions, find the approximation and detail co-efficients of the discrete function  $f(n) = \{1, 4, -3, 0\}$  (6)

(ii) What is MRA? Describe scaling and wavelet functions and their recursive MRA equations. (8)

**(OR)**

- b) (i) Define CWT and inverse CWT (4)
- (ii) Explain the filter bank implementation of wavelet transform with sub-band coding. (10)

\*\*\*\*\*