



B.E/B.TECH DEGREE EXAMINATIONS: NOV/DEC 2024

(Regulation 2018)

Sixth Semester

TEXTILE TECHNOLOGY

U18TXE0016: Industrial Engineering for Textile and Apparel Industry

COURSE OUTCOMES

- CO1:** Discuss the relationship between productivity and Apparel Engineering.
CO2: Explain the various method study techniques
CO3: Calculate the standard time by using work measurement techniques
CO4: Describe the Industrial Engineering concepts in apparel.
CO5: Explain how Line Balancing procedures carried out in garment industry

Time: Three Hours

Maximum Marks: 100

Answer all the Questions: -

PART A (10 x 2 = 20 Marks)

(Answer not more than 40 words)

- | | | |
|---|-----|-------------------|
| 1. A garment factory produces 500 shirts daily, utilizing 40 machines and employing 50 workers. Calculate the machine productivity and labor productivity based on this information. | CO1 | [K ₄] |
| 2. Compare and contrast Production and Productivity. | CO1 | [K ₂] |
| 3. Illustrate the flow chart symbols | CO2 | [K ₂] |
| 4. Identify the primary techniques used in micro motion studies and discuss how they contribute to optimizing processes in the workplace. | CO2 | [K ₂] |
| 5. Identify and describe the basic elements involved in sewing operations. | CO3 | [K ₂] |
| 6. Define Standard Allowed Minutes (SAM) and explain its significance in production planning. | CO3 | [K ₂] |
| 7. Calculate the production output over an 8-hour shift, given that the Standard Allowed Minute (SAM) is 1 minute per unit. | CO4 | [K ₂] |
| 8. Explain how a capacity study can enhance operational efficiency | CO4 | [K ₂] |
| 9. Calculate the Standard Allowed Minute (SAM) for the following observations: Given an operator working on a Single Needle Lock Stitch operation, determine the SAM using the following data: Observe the single cycle time as 0.85 minutes, apply a rating factor of 0.70, and include allowances of 20%. | CO5 | [K ₂] |
| 10. Define line balancing and explain its significance in production processes. | CO5 | [K ₂] |

Answer any FIVE Questions:-

PART B (5 x 16 = 80 Marks)

(Answer not more than 400 words)

- | | | |
|--|-----|-------------------|
| 11. a) Evaluate the strategies employed by industrial engineers to optimize operations in textile and apparel manufacturing. | CO1 | [K ₃] |
| b) Examine the benefits of productivity and assess how they correlate with the | CO1 | [K ₃] |

standard of living.

12. a) Identify and illustrate the key Principles of Motion Economy, highlighting their impact on workflow efficiency. CO2 [K₃]
 b) Illustrate and explain the flow process chart utilized in the apparel industry, providing a specific example to support your explanation. CO2 [K₃]
13. a) Calculate the Standard Allowed Minutes (SAM) for a shirt, detailing each step of the procedure involved. CO3 [K₃]
 b) Discuss how rating factors and allowances impact the calculation of SAM in production planning. CO3 [K₃]
14. a) Detail the methodologies implemented in executing a capacity study for sewing operators. CO4 [K₃]
 b) Create a comprehensive operation bulletin for the apparel industry. What elements must be addressed to enhance operational efficiency and employee understanding? CO4 [K₃]
15. Explain the procedure for line balancing in the apparel industry and provide an example to illustrate your explanation. CO5 [K₃]
16. **Perform the Bundle Diagnosis for below data and comment.** CO4 [K₄]

BUNDLE DIAGNOSIS FOLLOW UP

NAME :Rani

OPERATION : TOP STITCH ARMHOLE

SAM : 1.2

TYPE OF MACHINE USED : SINGLE NEEDLE LOCK STITCH

SC @100 = 0.924.

ACTION	SC@100%
Pick up	0.165
Process	0.399
Dispose	0.06
Bundle Handling	0.3

Piece No.	Bundle Handling	Observed SC Readings		
		Pickup	Process	Dispose
1	0.16	0.310	0.521	0.072
2		0.300	0.512	0.070

3		0.312	0.515	0.074
4		0.301	0.509	0.078
5		0.314	0.518	0.073
6		0.316	0.485	0.073
7		0.314	0.475	0.062
8		0.285	0.453	0.075
9		0.275	0.412	0.064
10	0.152	0.26	0.418	0.062
TOTAL				
AVERAGE TIME TAKEN				
TARGET TIME				
EFFICIENCY				
